

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	((compos\$3 send\$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) (SMTP)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:20
L3	40	((creat\$3 compos\$3 send\$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) same server and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:20
L4	8	(( (email e-mail (elect\$4 near3 mail)) near25 ( (standard adj5 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( (improv\$4 enhanc\$5) near10 (path route rule)) near20 (mail email e-mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:20
L5	106	(( (improv\$4 enhanc\$5) near10 (path route rule)) near20 (mail email e-mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:20

L6	56	((improv\$4 enhanc\$5) near10 (path route rule)) near20 ((electronic adj2 mail) email e- mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:21
L7	54700	((709/206) or (709/226) or (709/203) or (709/217) or (707/2) or (707/3) or (707/10) or (707/4) or (707/100) or (370/228) or (370/253) or (370/901) or (370/438)),CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/12 08:22
L8	24	7 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:23
L9	149	((scott adj2 brown).inv. (Kelly Wanser).inv. ) and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:23
L10	4	((scott adj2 brown).inv. (Kelly Wanser).inv. ) and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/12 08:23
S1	2	"6,360,221".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:05

S2	1	"6,360,221".pn. and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:06
S3	13068	"6,360,221".pn. and protocol SMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:06
S4	0	"6,360,221".pn. and protocol and SMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:06
S5	1	"6965926".pn. and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:07
S6	0	"6965926".pn. and protocol and SMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:07
S7	4	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 SMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:14
S8	17	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) (SMP)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:14

S9	17	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) SMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:14
S10	0	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) SMP)) same enhanc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:15
S11	12	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) SMP)) and enhanc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:15
S12	0	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) SMP)) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:16

S13	27	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 messag\$3 near3 protocol) SMTP)) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:27
S14	27	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:31
S15	25	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP))same server and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:32

S16	2	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP) same server same firewall and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:32
S17	5	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP) and ( server same firewall) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:36
S18	11	((compos\$3 send \$3 forward\$3 outgo\$3) near20 (email e-mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP) and ( server and firewall) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:38

S19	11	((creat\$3 compos \$3 send\$3 forward \$3 outgo\$3) near20 (email e- mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( server and firewall) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:41
S20	25	((creat\$3 compos \$3 send\$3 forward \$3 outgo\$3) near20 (email e- mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) same server and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:42
S21	25	((creat\$3 compos \$3 send\$3 forward \$3 outgo\$3) near20 (email e- mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) same server and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:42

S22	28	((creat\$3 compos \$3 send\$3 forward \$3 outgo\$3) near20 (email e- mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( enhanc\$5 near20 (path route rule))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:48
S23	2	((creat\$3 compos \$3 send\$3 forward \$3 outgo\$3) near20 (email e- mail (elect\$4 near3 mail)) near20 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( enhanc\$5 near20 (path route rule)) near20 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:49
S24	2	((creat\$3 compos \$3 send\$3 forward \$3 outgo\$3) near20 (email e- mail (elect\$4 near3 mail)) near25 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( enhanc\$5 near20 (path route rule)) near20 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:50



S25	6	( (email e-mail (elect\$4 near3 mail)) near25 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( enhanc\$5 near20 (path route rule)) near20 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:50
S26	6	( (email e-mail (elect\$4 near3 mail)) near25 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( enhanc\$5 near25 (path route rule)) near25 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:53
S27	8	( (email e-mail (elect\$4 near3 mail)) near25 ( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and ( (improv\$4 enhanc\$5) near25 (path route rule)) near25 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:54

S28	6	(( (email e-mail (elect\$4 near3 mail)) near25 (( (standard adj3 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and (( (improv\$4 enhanc\$5) near10 (path route rule)) near10 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:57
S29	6	(( (email e-mail (elect\$4 near3 mail)) near25 (( (standard adj5 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and (( (improv\$4 enhanc\$5) near10 (path route rule)) near10 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:58
S30	6	(( (email e-mail (elect\$4 near3 mail)) near25 (( (standard adj5 (messag\$3 mail) near5 transfer\$3 near5 protocol) SMTP)) and (( (improv\$4 enhanc\$5) near10 (path route rule)) near20 (mail email e-mail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 20:59
S31	1	"6,360,221".pn. and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:04

S32	1	"6965926".pn. and (protocol same (messag\$3 email e-mail mail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:09
S33	5	((mail adj4 transfer\$3 adj4 agent) MTA) and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:13
S34	1	((mail adj4 transfer\$3 adj4 agent) MTA) and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:14
S35	5175	((mail adj4 transfer\$3 adj4 agent) MTA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:14
S36	0	((mail adj4 transfer\$3 adj4 agent) MTA) same ((improv\$5 enhanc\$5) near10 (mail email e-mail) near20 (path route ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:15
S37	2	((mail adj4 transfer\$3 adj4 agent) MTA) and ((improv\$5 enhanc\$5) near10 (mail email e-mail) near20 (path route ))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/26 21:15

4/ 12/ 09 8:24:50 AM

C:\Documents and Settings\jjeangilles\ My Documents\ EAST\ Workspaces  
\ 09939136may08.wsp